

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	72	(US-20050117687-\$ or US-20090078700-\$ or US-20050006991-\$ or US-20050104483-\$ or US-20040178704-\$ or US-20040155562-\$ or US-20040145283-\$ or US-20040140739-\$ or US-20030193274-\$ or US-20030173875-\$ or US-20020093272-\$).did. or (US-6009136-\$ or US-6758624-\$ or US-6749077-\$ or US-5971187-\$ or US-3982779-\$ or US-5384813-\$ or US-4139778-\$ or US-5196161-\$ or US-4781883-\$ or US-4770844-\$ or US-4666660-\$ or US-6256363-\$ or US-6064710-\$ or US-5909475-\$ or US-5881120-\$ or US-5550882-\$ or US-5361281-\$ or US-5245641-\$ or US-5121849-\$ or US-5114666-\$ or US-4960560-\$ or US-4900505-\$ or US-4652422-\$ or US-4630738-\$ or US-4034227-\$ or US-5032348-\$).did. or (US-4930650-\$ or US-4889680-\$ or US-4857263-\$ or US-4827139-\$ or US-4803042-\$ or US-4800283-\$ or US-4695424-\$ or US-4666659-\$ or US-4400344-\$ or US-4399366-\$ or US-4319960-\$ or US-4177386-\$ or US-4143276-\$ or US-4096392-\$ or US-4088897-\$ or US-4063999-\$ or US-3731101-\$ or US-4683014-\$ or US-3664379-\$ or US-4428255-\$ or US-3829113-\$ or US-6118838-\$ or US-4778645-\$ or US-3776523-\$ or US-5319686-\$ or US-5295167-\$).did. or (DE-4400344-\$ or DE-4143276-\$ or DE-4034227-\$).did. or (DE-19917515-\$ or US-6009136-\$ or DE-3020521-\$ or WO-0072326-\$ or WO-2005035373-\$ or US-4088897-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/02/24 09:07

L6	36	5 and weld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:07
L7	5	5 and (weld welding) near20 (locking adj pin pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:09
L8	3	5 and (weld welding) near20 (locking adj pin pin) and locking adj pin and rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:10
L9	36	(weld welding) near5 (locking adj pin pin) and locking adj pin near6 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:11
L10	798	(weld welding) near10 (locking adj pin pin) near10 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:16

L11	307	(weld welding) near5 (locking adj pin pin) near5 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:16
L12	230	(weld welding) near5 (locking adj pin pin) near5 rod and connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:16
L13	125	(weld welding) near5 (locking adj pin pin) near5 rod and connect\$3 and @ad<"20031010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:17
L14	4	(weld welding) near5 (locking adj pin pin) near5 rod and connect\$3 and @ad<"20031010" and mounting adj rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:35
L15	4	(weld welding) near5 (locking adj pin pin) near5 rod and connect\$3 and @ad<"20031010" and mounting adj rod and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:36

L16	3	(weld welding) near5 (locking adj pin pin) near5 rod and connect\$3 and @ad<"20031010" and mounting adj rod and pin and weld\$3 near4 pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 09:52
L17	0	(MPC container).clm. and ((nuclear spent) adj2 fuel).clm. and (tubes cell).clm. and (recesses cavities indentations indented recessed).clm. and ((contiguous continuous) near1 (side\$1wall side adj wall)) and (rods pipe wire).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 10:23
S1	9	"795879".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:31
S2	9	(US-20090050411-\$ or US-20050117687-\$ or US-20010029306-\$).did. or (US-6509491-\$ or US-5839278-\$ or US-5195761-\$ or US-4926908-\$ or US-4136531-\$ or US-3586434-\$).did.	US-PGPUB; USPAT	OR	ON	2010/02/19 10:31
S3	1	(US-20050117687-\$).did.	US-PGPUB	OR	ON	2010/02/19 10:31
S4	2	"6009136".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:32
S5	1	(US-20050117687-\$).did.	US-PGPUB	OR	ON	2010/02/19 10:46
S6	1	(US-20050117687-\$).did. and "32"	US-PGPUB	OR	ON	2010/02/19 10:47

S7	0	fastener.ti. and recess.ti,ab,clm. and tubes,rod.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:50
S8	0	fastener.ti,ab,clm. and recess.ti,ab,clm. and tubes,rod.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:50
S9	0	(fastener attachment attached attach).ti,ab,clm. and recess.ti,ab,clm. and tubes,rod.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:51
S10	273419	(fastener attachment attached attach) and recess and (tube rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:51
S11	6105	(fastener fasten fastened attachment attached attach) near20 recess near20 (tube rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:52

S12	4	(fastener fasten fastened attachment attached attach) near20 recess near20 (tube rod) and spent adj2 fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:52
S13	1	(fastener fasten fastened attachment attached attach) near20 recess near20 (tube rod) and spent adj2 fuel and annular adj wall and joint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 10:56
S14	401	(292/305).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 11:00
S15	2781	((312/111,140) or (403/311,312)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 11:51
S16	175	S15 and tube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:52

S17	18	S15 and tube and (receptacle spent adj2 fuel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:53
S18	13810	"220"/\$7.ccls. and hinge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:56
S19	2153	"220"/\$7.ccls. and hinge and interconnect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:56
S20	633	"220"/\$7.ccls. and hinge and interconnect\$4 and (joint joining)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:57
S21	437	"220"/\$7.ccls. and hinge and interconnect\$4 and (joint joining) and container	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 11:58

S22	193	220/4.29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 12:12
S23	0	220/4.28,4.29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:12
S24	987	(220/4.28,4.29).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 13:12
S25	2	("0001524").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 13:12
S26	3760	S15 S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:13

S27	11	S26 and array near4 (tube container)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:13
S28	34	(clamp clamped clamping) near4 assembly and spent adj2 fuel and nuclear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:16
S29	35	(clamp clamped clamping) near4 assembly and spent adj2 fuel and nuclear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:17
S30	132	(clamp clamped clamping) near20 fuel adj assembly	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:29
S31	16	(hinge hinging) near20 fuel adj assembly	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:39

S32	587	"376"/\$7.ccls. and spent adj fuel and (mpc container cask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:41
S33	161	"376"/\$7.ccls. and spent adj fuel and (mpc container cask) and array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:42
S34	701	array near20 containers near20 (connect connecting connection connexion connected fastener fastening fasten hing hinging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:57
S35	38	array near20 containers near20 (connect connecting connection connexion connected fastener fastening fasten hing hinging) near20 (ring hollow recess recssed pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 13:58
S36	22	((("6,256,363") or ("6,064,710") or ("6,009,136") or ("5,909,475") or ("5,881,120") or ("5,550,882") or ("5,384,813") or ("5,361,281") or ("5,245,641") or ("5,121,849") or ("5,114,666"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 14:01
S37	13	(US-6256363-\$ or US-6064710-\$ or US-6009136-\$ or US-5909475-\$ or US-5881120-\$ or US-5550882-\$ or US-5384813-\$ or US-5361281-\$ or US-5245641-\$ or US-5121849-\$ or US-5114666-\$). did. or (DE-19917515-\$ or US-6009136-\$).did.	USPAT; DERWENT	OR	ON	2010/02/19 14:10

S38	100	spent adj fuel near4 storage adj rack.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 14:12
S39	2	("5245641").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 15:29
S40	1	S39 and "68"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 15:30
S41	2	ep-1103981\$-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 15:55
S43	9	((("4652422") or ("4630738") or ("4034227"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 20:49
S44	3	((("4652422") or ("4630738") or ("4034227"))).PN.	USPAT	OR	OFF	2010/02/19 20:49

S45	22	((("5,032,348") or ("4,930,650") or ("4,889,680") or ("4,857,263") or ("4,827,139") or ("4,803,042") or ("4,800,283") or ("4,781,883") or ("4,695,424") or ("4,666,659") or ("4,630,738"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 20:58
S46	11	((("5,032,348") or ("4,930,650") or ("4,889,680") or ("4,857,263") or ("4,827,139") or ("4,803,042") or ("4,800,283") or ("4,781,883") or ("4,695,424") or ("4,666,659") or ("4,630,738"))).PN.	USPAT	OR	OFF	2010/02/19 20:58
S47	37	((("4,400,344") or ("4,399,366") or ("4,319,960") or ("4,177,386") or ("4,143,276") or ("4,096,392") or ("4,088,897") or ("4,063,999") or ("4,034,227") or ("3,731,101"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 21:04
S48	22	((("6,256,363") or ("6,064,710") or ("6,009,136") or ("5,909,475") or ("5,881,120") or ("5,550,882") or ("5,384,813") or ("5,361,281") or ("5,245,641") or ("5,121,849") or ("5,114,666"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/19 21:11
S49	11	((("6,256,363") or ("6,064,710") or ("6,009,136") or ("5,909,475") or ("5,881,120") or ("5,550,882") or ("5,384,813") or ("5,361,281") or ("5,245,641") or ("5,121,849") or ("5,114,666"))).PN.	USPAT	OR	OFF	2010/02/19 21:12
S50	3	((("4652422") or ("4630738") or ("4034227"))).PN.	USPAT	OR	OFF	2010/02/19 21:12
S51	1	fr-2483544\$-\$\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 21:13

S52	1	wo-0072326\$-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 21:14
S53	1277	hinge and knuckle and tube	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 21:28
S54	503	hinge and knuckle and tube and rod and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 21:28
S55	132	hinge.ti,ab,clm. and knuckle and tube and rod and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 21:28
S56	1	hinge and array near3 (tube bundle) and knuckle and tube and rod and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 21:41

S57	28	(US-6256363-\$ or US-6064710-\$ or US-6009136-\$ or US-5909475-\$ or US-5881120-\$ or US-5550882-\$ or US-5384813-\$ or US-5361281-\$ or US-5245641-\$ or US-5121849-\$ or US-5114666-\$ or US-4652422-\$ or US-4630738-\$ or US-4034227-\$ or US-5032348-\$ or US-4930650-\$ or US-4889680-\$ or US-4857263-\$ or US-4827139-\$ or US-4803042-\$ or US-4800283-\$ or US-4781883-\$ or US-4695424-\$ or US-4666659-\$.did. or (DE-19917515-\$ or US-6009136-\$ or DE-3020521-\$ or WO-0072326-\$.did.	USPAT; DERWENT	OR	ON	2010/02/19 21:42
S58	1	wo-0072326-\$.did.	USPAT; DERWENT	OR	ON	2010/02/19 21:45
S59	2	"5245641".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/19 22:52
S60	1	(US-20050117687-\$.did.	US-PGPUB	OR	ON	2010/02/20 01:50
S61	2	("5245641").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/20 11:12
S62	1	(US-20050117687-\$.did.	US-PGPUB	OR	ON	2010/02/20 11:44
S63	0	("3and(advantageimproveimprovement)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/20 11:44

S64	1	S62 and (advantage improve improved improvement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/20 11:45
S65	1	(US-20050117687-\$).did.	US-PGPUB	OR	ON	2010/02/20 16:49
S66	4209	"64" and solid adj rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/20 16:49
S67	0	S65 and solid adj rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/20 16:49
S68	1	S65 and rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/20 16:49
S69	0	(US-20050117687-\$).did. and solid near3 rod	US-PGPUB	OR	ON	2010/02/20 16:58
S70	1	(US-20050117687-\$).did. and (weld welded welding) near4 recess	US-PGPUB	OR	ON	2010/02/20 17:16
S71	1	(US-20050117687-\$).did. and (weld welded welding) near20 recess near20 rod	US-PGPUB	OR	ON	2010/02/20 17:17

S72	0	(US-20050117687-\$).did. and (rigidly rigid) near20 (attach attached attachment) near20 rod near20 pin	US-PGPUB	OR	ON	2010/02/20 17:28
S73	1	(US-20050117687-\$).did.	US-PGPUB	OR	ON	2010/02/22 07:56
S74	0	S73 and rigidly adj attached	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 07:56
S75	0	S73 and rigidly near4 attached	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 07:57
S76	0	S73 and rigidly	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 07:57
S77	1	S73 and attach	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 07:57
S78	0	S73 and rigid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 08:02

S79	1	S73 and weld near 20 load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 08:13
S80	0	("s000061").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/22 08:17
S81	2	("5245641").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/22 08:17
S82	2	S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 08:17
S83	2	S82 and square	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 08:17
S84	1	(US-20050117687-\$).did.	US-PGPUB	OR	ON	2010/02/22 09:31

S85	0	S84 and lateral near20 recess near20 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 09:32
S86	0	S84 and lateral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 09:32
S87	1	S84 and rod near20 recess	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 09:32
S88	0	S84 and socket	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 09:34
S89	2	("5825839").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/22 10:25

S95	9	load-bearing near4 (weld welding) and sidewall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 10:51
S96	0	load-bearing near4 (weld welding) near4 disadvantage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 10:53
S97	1	load-bearing near4 (weld welding) near4 advantage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 10:53
S98	1	(US-20050117687-\$).did. and (weld welding)	US-PGPUB	OR	ON	2010/02/22 10:54
S99	55	(US-20050117687-\$ or US-20090078700-\$).did. or (US-6009136-\$ or US-6758624-\$ or US-6749077-\$ or US-5971187-\$ or US-3982779-\$ or US-5384813-\$ or US-4139778-\$ or US-5196161-\$ or US-4781883-\$ or US-4770844-\$ or US-4666660-\$ or US-6256363-\$ or US-6064710-\$ or US-5909475-\$ or US-5881120-\$ or US-5550882-\$ or US-5361281-\$ or US-5245641-\$ or US-5121849-\$ or US-5114666-\$ or US-4960560-\$ or US-4900505-\$ or US-4652422-\$ or US-4630738-\$ or US-4034227-\$ or US-5032348-\$).did. or (US-4930650-\$ or US-4889680-\$ or US-4857263-\$ or US-4827139-\$ or US-4803042-\$ or US-4800283-\$ or US-4695424-\$ or US-4666659-\$ or US-4400344-\$ or US-4399366-\$ or US-4319960-\$ or US-4177386-\$ or US-4143276-\$ or US-4096392-\$ or US-4088897-\$ or	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/02/22 11:39

		US-4063999-\$ or US-3731101-\$ or US-4683014-\$ or US-3664379-\$).did. or (DE-4400344-\$ or DE-4143276-\$ or DE-4034227-\$).did. or (DE-19917515-\$ or US-6009136-\$ or DE-3020521-\$ or WO-0072326-\$ or WO-2005035373-\$).did.				
S100	1	S99 and (weld welding) near20 pin near20 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:39
S101	1298	(weld welding) near20 pin near20 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:40
S102	25	(weld welding) near20 pin near20 rod and load-bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:40
S103	0	(weld welding) near20 pin near20 rod and spent adj nuclear adj fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:46
S104	27	(weld welding) near20 pin near20 rod and nuclear adj fuel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:46

S105	926	plates near20 inter\$1lock near20 pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:57
S106	0	plates near20 inter\$1lock near20 pin near20 weld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 11:58
S107	55	(US-20050117687-\$ or US-20090078700-\$).did. or (US-6009136-\$ or US-6758624-\$ or US-6749077-\$ or US-5971187-\$ or US-3982779-\$ or US-5384813-\$ or US-4139778-\$ or US-5196161-\$ or US- 4781883-\$ or US-4770844-\$ or US-4666660-\$ or US-6256363-\$ or US-6064710-\$ or US-5909475-\$ or US-5881120-\$ or US-5550882-\$ or US-5361281-\$ or US-5245641-\$ or US-5121849-\$ or US- 5114666-\$ or US-4960560-\$ or US-4900505-\$ or US-4652422-\$ or US-4630738-\$ or US-4034227-\$ or US-5032348-\$).did. or (US-4930650-\$ or US- 4889680-\$ or US-4857263-\$ or US-4827139-\$ or US-4803042-\$ or US-4800283-\$ or US-4695424-\$ or US-4666659-\$ or US-4400344-\$ or US-4399366-\$ or US-4319960-\$ or US-4177386-\$ or US- 4143276-\$ or US-4096392-\$ or US-4088897-\$ or US-4063999-\$ or US-3731101-\$ or US-4683014-\$ or US-3664379-\$).did. or (DE-4400344-\$ or DE- 4143276-\$ or DE-4034227-\$).did. or (DE- 19917515-\$ or US-6009136-\$ or DE-3020521-\$ or WO-0072326-\$ or WO-2005035373-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/02/22 13:58

S108	24	S107 and weld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 13:59
S109	0	S107 and weld near20 (extension adj bolt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:44
S110	1298	(weld welding) near20 pin near20 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:45
S111	34	(weld welding) near20 pin near20 rod and "403"/ \$7.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:46
S112	66	(weld welding) near20 pin near20 rod and ("376"/ \$7.ccls. "403"/\$7.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:48

S113	244	locking adj pin adj assembly.ti,ab,clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:49
S114	32	locking adj pin adj assembly.ti,ab,clm. and (weld welding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:50
S115	0	locking adj pin adj assembly.ti,ab,clm. and (weld welding) near20 rod near20 (locking adj pin adj assembly pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:51
S116	32	locking adj pin adj assembly.ti,ab,clm. and (weld welding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:51
S117	3	(storage adj rack stowage adj rack) and spent adj nuclear adj fuel and pin and rod and weld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 14:57

S118	28	(US-6256363-\$ or US-6064710-\$ or US-6009136-\$ or US-5909475-\$ or US-5881120-\$ or US-5550882-\$ or US-5384813-\$ or US-5361281-\$ or US-5245641-\$ or US-5121849-\$ or US-5114666-\$ or US-4652422-\$ or US-4630738-\$ or US-4034227-\$ or US-5032348-\$ or US-4930650-\$ or US-4889680-\$ or US-4857263-\$ or US-4827139-\$ or US-4803042-\$ or US-4800283-\$ or US-4781883-\$ or US-4695424-\$ or US-4666659-\$.did. or (DE-19917515-\$ or US-6009136-\$ or DE-3020521-\$ or WO-0072326-\$.did.	USPAT; DERWENT	OR	ON	2010/02/22 15:18
S119	138	locking adj pin near4 (welded welding weld)	USPAT; DERWENT	OR	ON	2010/02/22 15:20
S120	120	locking adj pin near4 (welded welding weld)	USPAT	OR	ON	2010/02/22 15:20
S121	4	locking adj pin near4 (welded welding weld) and storage adj rack	USPAT	OR	ON	2010/02/22 15:21
S122	10	locking adj pin near4 (welded welding weld) and (container near "20" nuclear storage adj rack)	USPAT	OR	ON	2010/02/22 15:21
S123	4	locking adj pin near4 (welded welding weld) and (container near20 nuclear storage adj rack)	USPAT	OR	ON	2010/02/22 15:22
S124	4	locking adj pin near4 (welded welding weld) and (container near20 nuclear storage adj rack) and (weld welding welded)	USPAT	OR	ON	2010/02/22 15:24
S125	11	locking adj pin near4 (welded welding weld).ti,ab, cdm.	USPAT	OR	ON	2010/02/22 15:33
S126	1	(US-20050117687-\$).did.	US-PGPUB	OR	ON	2010/02/22 15:39
S127	1	S126 and (weld welding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 15:39

S128	2	("20020015614").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/23 16:19
S129	0	S128 and weld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:26
S130	16	(weld welding) near20 locking adj pin near20 (sleeve rod tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:28
S131	2	(weld welding) near20 locking adj pin near20 (sleeve rod tube) and pin near10 joint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:33
S132	3	(weld welding) near20 locking adj pin near20 (sleeve rod tube) and pin same joint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:34

S133	2	tack adj (weld welding) near20 locking adj pin near20 (sleeve rod tube pipe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:38
S134	25	(weld welding) near20 locking adj pin near20 (sleeve rod tube pipe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:39
S135	82	(weld welding) near5 locking adj pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:48
S136	1	(weld welding) near6 (locking adj pin) near6 (strengthen reinforce reinforcing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 16:56
S137	4	(weld welding) near6 (locking adj pin) near6 rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 17:02

S138	2	("3,692,149").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/23 17:03
S139	3	("4088897").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/23 17:45
S140	8399	((376/285,272,271,260,262) or (220/4.28,4.29) or (292/305) or (312/111,140) or (403/311,312) or (250/506.1,507.1)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/23 17:51
S141	245	S140 and (storage adj rack stowage adj rack container) and (pin locking) and (rod cylinder tube) and (load-bearing load surface) and (cavity recess indent indented indentation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/23 17:53

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	0	(MPC container).clm. and ((nuclear spent) adj2 fuel).clm. and (tubes cell).clm. and (recesses cavities indentations indented recessed).clm. and ((contiguous continuous) near1 (side\$1wall side adj wall)) and (rods pipe wire).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/02/24 10:23

2/ 24/ 2010 10:24:28 AM

C:\ Documents and Settings\ jmond\ My Documents\ EAST\ Workspaces\ 10795879.wsp